


BACKFILL FOR THE DETENTION BASIN PIPES SHALL BE 2 SACK SLURRY MIX OVER ENTIRE STRUCTURE TO OBTAIN MAX. COMPACTION TO PROVIDE A SMOOTH, UNYIELDING SURFACE FOR ASPHALT PLACEMENT.




NOTES:

1. THE LOCATION OF UNDERGROUND UTILITIES SHOWN HEREON HAS BEEN DETERMINED FROM SURFACE EVIDENCE OF THEIR EXISTENCE OR FROM INFORMATION OBTAINED FROM THE UTILITY COMPANIES. EDS ENGINEERING & LAND SURVEYING ACCEPTS NO LIABILITY FOR THE EXISTENCE OR NONEXISTENCE OF UTILITY LINES. CONTRACTORS AND OTHERS USING THIS PLAN SHALL CONFIRM THE LOCATION OF UNDERGROUND LINES OR STRUCTURES, PRIOR TO BEGINNING ANY EXCAVATION CALL USA AT 1-800-227-2600 48 HOURS IN ADVANCE OF BEGINNING ANY EXCAVATION.
2. DUST CONTROL SHALL BE STRICTLY ADHERED TO. DUST CONTROL SHALL CONFORM TO SECTION 7-81 OF THE STANDARD SPECIFICATIONS FOR PUBLIC WORKS CONSTRUCTION, LATEST EDITION.

SOILS REPORT NOTE

A SOILS INVESTIGATION REPORT IS ON FILE AT THE OFFICE OF RONALD BEYER ARCHITECT

GRAPHIC SCALE



STORM DRAIN DETENTION BACKFILL
& SOILS REPORT NOTE
SHASTA COMMUNITY HEALTH
CENTER 1035 PLACER STREET

AD3
- 3.2

NOTICE NOT LESS THAN 48-HOUR NOTICE IS REQUIRED PRIOR TO STARTING ANY EXCAVATION NEAR UNDERGROUND UTILITIES BELONGING TO P.G. & E., PAC BELL, A.C.I.D. CHARTER COMMUNICATIONS, CITY OF REDDING, PLEASE CALL, TOLL FREE, "ONE CALL" UNDERGROUND SERVICE ALERT (USA) 1-800-227-2600. FOR A.C.I.D. FACILITIES, CALL (530)365-7329, FOR CSA #17 (530)225-5771, CHARTER COMM (530)241-4243